journal of magnetism and magnetic materials

Author index to volume 112

Ahlers, H., see M. Enokizono 112 (1992) 81
Ahlers, H., A. Nafalski, L. Rahf, S. Siebert, J. Sievert and D. Son, The measurement of magnetic properties of amorphous strips at higher frequencies using a yoke system 112 (1992) 88
Ahlers, H., see J. Sievert 112 (1992) 91
Alexeev, A.G., T.G. Bez'jazykova and A.Ye. Kornyev, Interaction physics of magnetic elastomers with electromagnetic fields 112 (1992) 473
Alinejad-Beromi, Y., A.J. Moses and T. Meydan, New aspects of rotational field and flux measurement in electrical steel 112 (1992) 135
Allia, P., C. Beatrice, G. Brida and F. Vinai, On the kinetics of viscosity field in amorphous ferromagnets 112 (1992) 14
Allia, P., see S.P. Cruz 112 (1992) 36
Alves, F. and J.C. Perron, Influence of annealing treatments on permeability after-effects in some iron- or cobalt-based amorphous alloys 112 (1992) 337
Anayi, F.J., see A. Basak 112 (1992) 426
Appino, C., see F. Fiorillo 112 (1992) 272
Arai, K.-i., see A. Saito 112 (1992) 229
Aram Bonyar, A., see A. Basak 112 (1992) 406
Archishevskii, M.A., see V.A. Makarov 112 (1992) 290
Ardebili, M. and A.J. Moses, Investigation of surface scratched silicon steels in three-phase stacked model transformer cores 112 (1992) 409
Augustyniak, B., see L. Małkiński 112 (1992) 323

Baldokhin, U.A., see V.A. Makarov 112 (1992) 290
Baran, M., see J. Zbroszczyk 112 (1992) 313
Barradi, T. and A. Mailfert, Incidence of the dynamic behaviour of the domain walls on the iron losses in grain-oriented Si–Fe sheets using sinusoidal and non-sinusoidal waveform induction 112 (1992) 6
Barrué, R., J.C. Perron, J.C. Bavay and G. Ligi, Correlation between grain orientations and domain structure in industrial grain-oriented Si–Fe sheets (Hi-B) 112 (1992) 219
Barth, M., see M. Müller 112 (1992) 363
Basak, A. and A. Aram Bonyar, Effects of transformer core assembly on building factors 112 (1992) 406
Basak, A. and F.J. Anayi, Construction of a NdFeB magnet brushless dc linear motor and its static and dynamic characteristics 112 (1992) 426
Basak, A., see S.A.E. Simonen 112 (1992) 429
Basak, A. and R. Nourizadeh, Microprocessor evaluation of magnetic properties of silicon–iron using a novel Fourier algorithm 112 (1992) 460
Bavay, J.C., see R. Barrué 112 (1992) 219
Beatrice, C., see P. Allia 112 (1992) 14
Beckley, P., see E. Mivehchi 112 (1992) 58
Beckley, P., see E. Mivehchi 112 (1992) 67
Beckley, P., see H. Iranmanesh 112 (1992) 74
Beckley, P., see H. Iranmanesh 112 (1992) 99
Benda, O., Possibilities and limits of the Preisach model (*Invited paper*) 112 (1992) 443
Benda, O. and J. Bydžovský, AC-remanence states as identification criterion of hysteresis modeling 112 (1992) 469
Benda, P., see P. Pácl 112 (1992) 225
Berthault, A., D. Rousselle and G. Zerah, Magnetic properties of Permalloy microparticles 112 (1992) 477
Bertotti, G., F. Fiorillo and M. Pasquale, Magnetization process and hysteresis in pure iron 112 (1992) 11
Bertotti, G., F. Fiorillo and P. Mazzetti, Basic principles of magnetization processes and origin of losses in soft magnetic materials (*Invited paper*) 112 (1992) 146
Bessho, K., S. Yamada, M. Nakano and K. Nakamoto, A new flux concentration type electromagnetic pump for FBR 112 (1992) 419
Bez'jazykova, T.G., see A.G. Alexeev 112 (1992) 473
Bi, X.F., Y. Tanaka and K. Sato, Effect of microstructure on the magnetic properties of 6.5% Si–Fe alloy 112 (1992) 189
Bieńkowski, A., Some problems of measurement of magnetostriction in ferrites under stresses 112 (1992) 143
Binner, A. and H. Hemschik, The influence of eddy currents on the behaviour of electromechanical actuators 112 (1992) 463
Blythe, H.J. and H. Kronmüller, Magnetic aftereffects in irradiated Pd_3Fe 112 (1992) 383
Blythe, H.J., see E. Klugmann 112 (1992) 389
Blythe, H.J., see F. Walz 112 (1992) 395
Bölling, F., see B. Hammer 112 (1992) 162

Bölling, F., see A. Böttcher 112 (1992) 165
Bonome, M.G., see M.A. López-Quintela 112 (1992) 307
Böttcher, A., M. Hastenrath and F. Bölling, The role of subsurface layers for Goss-texture development in RGO-electrical steel 112 (1992) 165
Boukhalfa, M., see G.H. Shirkoohi 112 (1992) 222
Brida, G., see P. Allia 112 (1992) 14
Brissonneau, P., see S. Zouzou 112 (1992) 106
Brovko, I., see P. Petrovič 112 (1992) 331
Brovko, I., see M. Zatroch 112 (1992) 334
Bürger, R., H. Kleine, S. Mager and J. Wieting, New possibilities for semifinished grain-oriented and non-oriented electrical steels 112 (1992) 212
Butvin, P., M. Hlásnik, P. Duhaj, B. Butvinová, K. Závěta, L. Kraus and K. Jurek, As-cast anisotropy of amorphous CoFeCrBSi and FeNbCuSiB 112 (1992) 359
Butvinová, B., see P. Butvin 112 (1992) 359
Bydžovský, J., see O. Benda 112 (1992) 469

Ciurzyńska, W., see J. Zbroszczyk 112 (1992) 313
Ciurzyńska, W., see J. Zbroszczyk 112 (1992) 341
Cornut, B., see Th. Waeckerlé 112 (1992) 454
Cruz, S.P., M. Knobel, R. Sato Turtelli, P. Allia and F. Vinai, Variation of the magnetic disaccommodation dynamics in zero-magnetostrictive amorphous ribbons 112 (1992) 36

Daróczi, Cs.S., G. Serfőző and P. Kollár, Ion implantation induced effects in surface properties of $Fe_{85}B_{15}$ metallic glass 112 (1992) 367
Degro, J., see P. Vojtaník 112 (1992) 9
Degro, J., see P. Vojtaník 112 (1992) 305
Derebasi, N., see A. Honda 112 (1992) 20
Derebasi, N., see T. Meydan 112 (1992) 23
Derebasi, N., see T. Meydan 112 (1992) 269
Diao, Z., see S. Tanaka 112 (1992) 302
Dietzmann, G. and M. Schaefer, On the frequency dependence of power losses in soft magnetic materials 112 (1992) 380
Dubasiewicz, W., K. Jedrzejak and M. Soiński, Magnetic coercivity in consolidated amorphous strips 112 (1992) 61
Dubovinský, M., see P. Petrovič 112 (1992) 331
Duhaj, P., see L. Kraus 112 (1992) 275
Duhaj, P., see Z. Kaczkowski 112 (1992) 315
Duhaj, P., see P. Butvin 112 (1992) 359
Duro, R.J., see M.A. López-Quintela 112 (1992) 307
Duša, O., see P. Vojtaník 112 (1992) 305

Eadie, G.C., Continuous sprayforming of electrotechnical steel strip 112 (1992) 177
Ebrahimi, A. and A.J. Moses, Influence of the stacking method on the normal flux transfer from lamination to lamination in grain-oriented 3% silicon–iron samples cut at different angles to the rolling direction 112 (1992) 129
Eckert, D., see K.-H. Müller 112 (1992) 377
Elshebani, M.S.M., see T. Meydan 112 (1992) 344
Enokizono, M., T. Todaka, T. Sashikata, J.D. Sievert and H. Ahlers, Magnetic field analysis of rotational loss tester with vertical yoke 112 (1992) 81
Enokizono, M., see J. Sievert 112 (1992) 91
Enokizono, M., G. Shirakawa and J. Sievert, Anomalous anisotropy and rotational magnetic properties of amorphous sheet 112 (1992) 195
Enokizono, M., T. Todaka and K. Kihara, Flux distribution in magnetic core with wound strips of laminations 112 (1992) 203
Enokizono, M., T. Todaka and M. Kumoi, Demagnetization and magnetic domain structure of silicon steel sheet 112 (1992) 207
Erpenbeck, B., see H. Hattendorf 112 (1992) 29

Fiorillo, F., see G. Bertotti 112 (1992) 11
Fiorillo, F., see G. Bertotti 112 (1992) 146
Fiorillo, F. and C. Appino, Static and dynamic losses in amorphous alloys versus peak induction and applied stress 112 (1992) 272
Fox, D., see P.C.Y. Ling 112 (1992) 77
Fujihara, T., see K. Hisatake 112 (1992) 387
Fujiwara, K., see T. Nakata 112 (1992) 71
Fujiwara, K., see T. Nakata 112 (1992) 174
Fujiwara, K., see P. Olszewski 112 (1992) 447
Fukuda, B., see K. Sato 112 (1992) 183
Futschik, K., see P. Schönhuber 112 (1992) 349

Goktepe, M., see A. Honda 112 (1992) 20
Goktepe, M., see T. Meydan 112 (1992) 23
Goktepe, M., see T. Meydan 112 (1992) 269
González, J., see I. Ibarrondo 112 (1992) 232
Grahl, H., see M. Müller 112 (1992) 363
Grimmond, W., see P.C.Y. Ling 112 (1992) 77
Grimmond, W., see P.C.Y. Ling 112 (1992) 120
Grössinger, R., see C. Polak 112 (1992) 299
Guo, H.-Q., T. Reininger, H. Kronmüller, M. Rapp and V.H. Skoumryev, Analysis of magnetization processes in nanocrystalline FeCoZr ferromagnets 112 (1992) 287

Hamaguchi, T., see S. Nakagawa 112 (1992) 392
Hamdi, E.S. and G.H. Shirkoohi, The effect of mechanical vibration on the magnetic properties of amorphous cores 112 (1992) 293
Hammer, B., C. Riediger, M. Hastenrath and F. Bölling, Interactions between the inhibitor phases, secondary grain growth and glass-film formation in HGO electrical steel 112 (1992) 162
Handstein, A., see K.-H. Müller 112 (1992) 377

Harasko, G., see P. Schönhuber 112 (1992) 349
Hargitai, C., see S. Németh 112 (1992) 139
Hastenrath, M., see B. Hammer 112 (1992) 162
Hastenrath, M., see A. Böttcher 112 (1992) 165
Hattendorf, H. and B. Erpenbeck, Relation between texture and magnetic annealing of a 55% Ni–Fe alloy 112 (1992) 29
Havlíček, V., Digitally controlled single sheet tester 112 (1992) 103
Heczko, O., see L. Kraus 112 (1992) 275
Hempel, K.A., see W. Salz 112 (1992) 123
Hempel, K.A., see W. Salz 112 (1992) 242
Hemschik, H., see A. Binner 112 (1992) 463
Hernando, A., see C. Polak 112 (1992) 299
Herzer, G., Nanocrystalline soft magnetic materials (*Invited paper*) 112 (1992) 258
Herzer, G., see C. Polak 112 (1992) 299
Hesske, R.-R. and N. Hildebrand, Magnetic measurements of losses in FeSi sheets 112 (1992) 235
Heye, W., see M. Pott-Langemeyer 112 (1992) 284
Hildebrand, N., see R.-R. Hesske 112 (1992) 235
Hirata, T. and M. Naoe, Improvement in soft magetism of Sendust sputtered films for high performance MIG head 112 (1992) 432
Hisatake, K., I. Matsubara, K. Maeda, H. Wakao, T. Fujihara, Y. Kawai and K. Uematsu, Gamma-ray-induced disaccommodation of permeability in single crystal of yttrium iron garnet 112 (1992) 387
Hlásnik, M., see P. Butvin 112 (1992) 359
Honda, A., M. Goktepe, N. Derebasi, T. Meydan and A.J. Moses, Effect of surface roughness and tension on dynamic domain motion in grain oriented 3% silicon iron 112 (1992) 20
Honda, A., see T. Meydan 112 (1992) 23
Honda, A., see P. Schönhuber 112 (1992) 156
Honda, A., see T. Meydan 112 (1992) 269
Hondou, Y., see M. Iwahara 112 (1992) 466
Hornbogen, E., see H. Monstadt 112 (1992) 245
Horrocks, D.H., see E. Mivehchi 112 (1992) 58
Horrocks, D.H., see E. Mivehchi 112 (1992) 67
Hoyle, R., see T. Meydan 112 (1992) 64
Huneus, H., T. Kochmann, A. Schoppa and H. Wich, Medium alloyed magnetic steel with low core loss and high permeability 112 (1992) 159

Ibarrondo, I., S. Suriñach and J. González, Influence of manufacturing process parameters on magnetic characteristics of high-FeSi crystalline rapidly quenched ribbons 112 (1992) 232
Illgen, L., see M. Müller 112 (1992) 263
Illgen, L., see M. Müller 112 (1992) 363
Iranmanesh, H., P. Beckley and A.J. Moses, Investigation of a double-sided non-enwrapping 'with' and 'against' power-loss testing system based on the 'flux injection' principle 112 (1992) 74
Iranmanesh, H., B. Tahouri, A.J. Moses and P. Beckley, A computerised Rogowski–Chattock Potentiometer (RCP) compensated on-line power-loss measuring system for use on grain-oriented electrical steel production lines 112 (1992) 99
Ishihara, Y., see H. Morino 112 (1992) 115
Ishiyama, K., see A. Saito 112 (1992) 229
Ivanov, B.A. and S.N. Lyakhimets, New look to the coercivity of the amorphous and nanocrystalline magnetic materials 112 (1992) 26
Iwahara, M., H. Muramoto and Y. Hondou, Analysis of a three-phase ferro-resonant voltage stabilizer using nonlinear phasor tableau method 112 (1992) 466

Jedrzejak, K., see W. Dubasiewicz 112 (1992) 61
Jurek, K., see P. Butvin 112 (1992) 359
Juszczyk, S., Classification of exchange in chromium compounds with non-linear spin structure 112 (1992) 449

Kaczkowski, Z., Influence of annealing between Curie and crystallization temperatures on magnetomechanical coupling in $Fe_{80}B_{12}Si_8$ metallic glass 112 (1992) 310
Kaczkowski, Z. and P. Duhaj, Influence of the annealing time and temperature on magnetomechanical coupling in $Fe_{68}Co_{17}B_{15}$ metallic glass 112 (1992) 315
Kaczkowski, Z., É. Kisdi-Koszó and L. Potocký, Influence of the casting in magnetic field and of annealing history on the elasticity moduli in the $Fe_{79}Cr_{6.6}B_{14.4}$ metallic glass 112 (1992) 317
Kaczkowski, Z. and M. Müller, Dependence of magnetomechanical coupling on magnetic bias field in $Fe_{73.5}Cu_1Nb_3Si_{16.5}B_6$ metallic glass before nanocrystallization 112 (1992) 320
Kaczkowski, Z., see L. Małkiński 112 (1992) 323
Kan, T., see K. Sato 112 (1992) 183
Kaneko, T., see H. Yashiki 112 (1992) 200
Kauke, S., see J. Sievert 112 (1992) 91
Kawai, Y., see K. Hisatake 112 (1992) 387
Kedous-Lebous, A., see S. Zouzou 112 (1992) 106
Kekalo, I.B., see F. Löffler 112 (1992) 353
Kihara, K., see M. Enokizono 112 (1992) 203
Kisdi-Koszó, É., A. Lovas, J. Kovác, L.K. Varga and É. Zsoldos, Inhomogeneous atomic distribution and its effect on magnetic properties of diluted Fe–TM–B metallic glasses 112 (1992) 39
Kisdi-Koszó, É., see Z. Kaczkowski 112 (1992) 317
Kisdi-Koszó, É., see L.K. Varga 112 (1992) 328

Kleine, H., see R. Bürger 112 (1992) 212
Klinger, T., see P. Schönhuber 112 (1992) 349
Klugmann, E., J. Pastor and H.J. Blythe, Magnetic and anelastic relaxation in equi-atomic FePd alloys during ordering 112 (1992) 389
Knobel, M., see S.P. Cruz 112 (1992) 36
Kochmann, T., see H. Huneus 112 (1992) 159
Kollár, P., see P. Sovák 112 (1992) 296
Kollár, P., see Cs.S. Daróczi 112 (1992) 367
Konč, M., see P. Sovák 112 (1992) 296
Konč, M., see P. Vojtaník 112 (1992) 305
Konč, M., see P. Petrovič 112 (1992) 331
Konč, M., see M. Zatroch 112 (1992) 334
Kopasz, C., see S. Németh 112 (1992) 139
Kornyev, A.Ye., see A.G. Alexeev 112 (1992) 473
Kovác, J., see É. Kisdi-Koszó 112 (1992) 39
Kraus, L., K. Závěta, O. Heczko, P. Duhaj, G. Vlasák and J. Schneider, Magnetic anisotropy in as-quenched and stress-annealed amorphous and nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloys 112 (1992) 275
Kraus, L., see P. Butvin 112 (1992) 359
Kronmüller, H. and T. Reininger, Micromagnetic background of magnetization processes in inhomogeneous ferromagnetic alloys (*Invited paper*) 112 (1992) 1
Kronmüller, H., see H.-Q. Guo 112 (1992) 287
Kronmüller, H., see H.J. Blythe 112 (1992) 383
Kronmüller, H., see F. Walz 112 (1992) 395
Kubota, K., see M. Naoe 112 (1992) 439
Kumoi, M., see M. Enokizono 112 (1992) 207
Kunimori, O., see A. Saito 112 (1992) 278
Kurosawa, M., see K. Sato 112 (1992) 183

Lachowicz, H.K., see A. Ślawska-Waniewska 112 (1992) 281
Lebouc, A., see Th. Waeckerlé 112 (1992) 454
Ligi, G., see R. Barrué 112 (1992) 219
Ling, P.C.Y., A.J. Moses, F. McQuade, W. Grimmond and D. Fox, Investigation of magnetic degradation of wound cores due to adhesive bonding 112 (1992) 77
Ling, P.C.Y., F. McQuade and W. Grimmond, Computer aided measurement of magnetic properties of wound cores 112 (1992) 120
Liu, J., see G.H. Shirkoohi 112 (1992) 457
Löffler, F., I.B. Kekalo and S. Roth, The kinetics of formation of an anisotropy by surface crystallization in an iron-based amorphous alloy 112 (1992) 353
López-Quintela, M.A., J. Rivas, R.J. Duro, I. Winter and M.G. Bonome, Structural and magnetic properties of FeB-based amorphous powders 112 (1992) 307
Lovas, A., see É. Kisdi-Koszó 112 (1992) 39
Lovas, A., see L.K. Varga 112 (1992) 328
Lovas, A., see I. Pócsik 112 (1992) 347
Lyakhimets, S.N., see B.A. Ivanov 112 (1992) 26
Lyakhimets, S.N., Thermodynamic reciprocity of magnetic anisotropy and deformation induced by thermoannealing 112 (1992) 47

Macko, D., see P. Vojtaník 112 (1992) 9
Maeda, K., see K. Hisatake 112 (1992) 387
Mager, S., see R. Bürger 112 (1992) 212
Mailfert, A., see T. Barradi 112 (1992) 6
Makarov, V.A., M.A. Archishevskii, U.A. Baldokhin, E.I. Maltsev, A.J. Zaitcev, V.V. Sadchikov, V.P. Ovcharov and V.V. Sosnin, The structure, phase composition and the properties of nanocrystalline magnetic alloys. Mössbauer, electron-microscopic and the magnetic investigation 112 (1992) 290
Małkiński, L., Z. Kaczkowski and B. Augustyniak, Application of Barkhausen effect measurements in piezomagnetic study of metallic glasses 112 (1992) 323
Maltsev, E.I., see V.A. Makarov 112 (1992) 290
Matsubara, I., see K. Hisatake 112 (1992) 387
Mattern, N., see M. Müller 112 (1992) 263
Mazzetti, P., see G. Bertotti 112 (1992) 146
McQuade, F., see P.C.Y. Ling 112 (1992) 77
McQuade, F., see P.C.Y. Ling 112 (1992) 120
Meydan, T., see A. Honda 112 (1992) 20
Meydan, T., N. Derebasi, A. Honda and M. Goktepe, Dynamic domain motion in amorphous matérials under applied tensile stress and controlled magnetisation 112 (1992) 23
Meydan, T. and R. Hoyle, Computerised three-dimensional magnetic field measurements 112 (1992) 64
Meydan, T., see Y. Alinejad-Beromi 112 (1992) 135
Meydan, T., M. Goktepe, A. Honda and N. Derebasi, Influence of bending stress on domain motion in amorphous material based magneto-elastic transducers 112 (1992) 269
Meydan, T. and M.S.M. Elshebani, Displacement transducers using magnetostrictive delay line principle in amorphous materials 112 (1992) 344
Mikulec, M., Accuracy of single sheet testers 112 (1992) 112
Mirbach, E. and H. Reiche, Cost reduction by application of semi-processed steel in the production of electrical motors 112 (1992) 179
Miron, V., see G. Pârvu 112 (1992) 169
Mivehchi, E., P. Beckley and D.H. Horrocks, A computerised domain observation system for coated Si–Fe sheets using a scanning electron microscope 112 (1992) 58
Mivehchi, E., P. Beckley and D.H. Horrocks, Observation of hysteresis loops from the images of moving domains captured from a SEM 112 (1992) 67
Moghaddam, A.J. and A.J. Moses, A non-destructive automated method of lo-

calised power loss measurement in grain oriented 3% silicon iron 112 (1992) 132
Molotilov, B.V. and V.V. Sadchikov, Amorphous soft magnetic materials and their application (*Invited paper*) 112 (1992) 253
Monstadt, H., E. Hornbogen and J. Rohde, The effect of heat treatment on microstructures of melt-spun Fe 6.5 wt% Si alloys 112 (1992) 245
Morino, H., Y. Ishihara and T. Todaka, Measuring method of magnetic characteristics in any direction for silicon steel 112 (1992) 115
Moses, A.J., see A. Honda 112 (1992) 20
Moses, A.J., see H. Iranmanesh 112 (1992) 74
Moses, A.J., see P.C.Y. Ling 112 (1992) 77
Moses, A.J., see H. Iranmanesh 112 (1992) 99
Moses, A.J., see G.H. Shirkoohi 112 (1992) 109
Moses, A.J., see A. Ebrahimi 112 (1992) 129
Moses, A.J., see A.J. Moghaddam 112 (1992) 132
Moses, A.J., see Y. Alinejad-Beromi 112 (1992) 135
Moses, A.J., Development of alternative magnetic core materials and incentives for their use (*Invited paper*) 112 (1992) 150
Moses, A.J., see P. Schönhuber 112 (1992) 156
Moses, A.J., see M. Ardebili 112 (1992) 409
Moses, A.J. and H. Rahmatizadeh, Economic aspects of minimising the effects of mechanical stress in induction motor stator cores 112 (1992) 435
Müller, K.-H. and M. Wolf, Magnetostriction of isotropic two-phase materials 112 (1992) 44
Müller, K.-H. and M. Müller, The remanence of nanocrystalline Fe(Cu, Nb)BSi alloys 112 (1992) 369
Müller, K.-H., D. Eckert, P. Nothnagel and A. Handstein, Soft magnetic properties of NdFeB magnets 112 (1992) 377
Müller, M., N. Mattern and L. Illgen, The influence of different Cu/Nb contents on the structure and on the magnetic properties in nanocrystalline FeBSi base alloys 112 (1992) 263
Müller, M., see Z. Kaczkowski 112 (1992) 320
Müller, M., L. Illgen, M. Barth and H. Grahl, The influence of carbon content and casting temperature on the properties of $Fe_{79}B_{14}Si_7$ amorphous ribbons 112 (1992) 363
Müller, M., see K.-H. Müller 112 (1992) 369
Muramoto, H., see M. Iwahara 112 (1992) 466

Nafalski, A., see H. Ahlers 112 (1992) 88
Nafalski, A., A. Wac-Włodarczyk and H. Stryczewska, Metallic glass cores for airborne equipment 112 (1992) 325
Nakagawa, S., T. Hamaguchi and M. Naoe, High permeability of iron-nitride films prepared by ion beam deposition using NH_3 112 (1992) 392
Nakagawa, S., see M. Naoe 112 (1992) 439
Nakamoto, K., see K. Bessho 112 (1992) 419
Nakano, M., see T. Nakata 112 (1992) 71
Nakano, M., see T. Nakata 112 (1992) 174
Nakano, M., see K. Bessho 112 (1992) 419
Nakata, T., N. Takahashi, K. Fujiwara, M. Nakano and Y. Ogura, Accurate measurement method of magnetization curve using ring specimen 112 (1992) 71
Nakata, T., N. Takahashi, K. Fujiwara, M. Nakano and M. Seno, Magnetic characteristics of magnetic materials at very low temperature and their application to transformers 112 (1992) 174
Nakata, T., see P. Olszewski 112 (1992) 447
Naoe, M., see S. Nakagawa 112 (1992) 392
Naoe, M., see T. Hirata 112 (1992) 432
Naoe, M., K. Kubota and S. Nakagawa, Preparation of soft magnetic films by mechanical alloying of Fe/Si/Al multilayers under Ar ion bombardment 112 (1992) 439
Narita, K., see S. Tanaka 112 (1992) 302
Narita, K., see J. Zbroszczyk 112 (1992) 313
Narita, K., see J. Zbroszczyk 112 (1992) 341
Németh, S., C. Kopasz and C. Hargitai, Improvement in indirect magnetostriction measurements 112 (1992) 139
Nothnagel, P., see K.-H. Müller 112 (1992) 377
Nourizadeh, R., see A. Basak 112 (1992) 460

Ogura, Y., see T. Nakata 112 (1992) 71
Okazaki, Y. and K. Ueno, Magnetic shielding by soft magnetic materials in alternating magnetic field 112 (1992) 192
Olszewski, P., T. Nakata, N. Takahashi and K. Fujiwara, Numerical model for soft anisotropic materials and its experimental verification 112 (1992) 447
Ovcharov, V.P., see V.A. Makarov 112 (1992) 290

Pácl, P., see V. Wiglasz 112 (1992) 186
Pácl, P., V. Wiglasz and P. Benda, New electrical steel strip grades in Czechoslovakia 112 (1992) 225
Pârvu, G., V. Miron and C. Winckelbauer, Production and research of silicon steel strips in Romania 112 (1992) 169
Pasquale, M., see G. Bertotti 112 (1992) 11
Pastor, J., see E. Klugmann 112 (1992) 389
Perrier, J.C., see Th. Waeckerlé 112 (1992) 454
Perron, J.C., see R. Barrué 112 (1992) 219
Perron, J.C., see F. Alves 112 (1992) 337
Petrovič, P., I. Brovko, T. Zemčík, M. Zatroch, M. Konč, T. Švec and M. Dubovinský, Fine grain structure formation in the FeCuNb(Mo, W, Zr)SiB alloys 112 (1992) 331
Petrovič, P., see M. Zatroch 112 (1992) 334

Pfützner, H., see P. Schönhuber 112 (1992) 125
Pfützner, H., see P. Schönhuber 112 (1992) 349
Pfützner, H., Performance of new materials in transformer cores (*Invited paper*) 112 (1992) 399
Pócsik, I., L.K. Varga, A. Lovas and T. Tarnóczi, Influence of annealing on the ferro–paramagnetic transition in Fe–B metallic glass 112 (1992) 347
Polak, C., R. Grössinger, H. Sassik, G. Herzer, E. Pulido and A. Hernando, Magnetic properties of recrystallized amorphous $Fe_{76}Si_{12}B_{12}$ and $Fe_{80}B_{20}$ ribbons 112 (1992) 299
Potocký, L., see Z. Kaczkowski 112 (1992) 317
Pott-Langemeyer, M., W. Riehemann and W. Heye, Magnetization processes in annealed Fe6.5wt%Si meltspun ribbons 112 (1992) 284
Pulido, E., see C. Polak 112 (1992) 299

Radley, G.S., see P. Schönhuber 112 (1992) 125
Rahf, L., see H. Ahlers 112 (1992) 88
Rahf, L., see J. Sievert 112 (1992) 91
Rahmatizadeh, H., see A.J. Moses 112 (1992) 435
Rapp, M., see H.-Q. Guo 112 (1992) 287
Rasek, J., see J. Zbroszczyk 112 (1992) 313
Reiche, H., see E. Mirbach 112 (1992) 179
Reininger, T., see H. Kronmüller 112 (1992) 1
Reininger, T., see H.-Q. Guo 112 (1992) 287
Rezic, A., see Z. Valkovic 112 (1992) 413
Riediger, C., see B. Hammer 112 (1992) 162
Riehemann, W., see M. Pott-Langemeyer 112 (1992) 284
Rivas, J., see M.A. López-Quintela 112 (1992) 307
Rohde, J., see H. Monstadt 112 (1992) 245
Roth, S., see F. Löffler 112 (1992) 353
Rousselle, D., see A. Berthault 112 (1992) 477

Sadchikov, V.V., see B.V. Molotilov 112 (1992) 253
Sadchikov, V.V., see V.A. Makarov 112 (1992) 290
Saito, A., K.-i. Yamamoto and K. Yamane, Decrease of magnetization in positive magnetostrictive material due to tensile stress 112 (1992) 17
Saito, A., K.-i. Yamamoto and S. Ueda, Reversible and irreversible magnetization changes of amorphous ribbons due to stress 112 (1992) 41
Saito, A., K.-i. Yamamoto, K. Ishiyama and K.-i. Arai, Effect of stress on tertiary recrystallized silicon iron 112 (1992) 229
Saito, A., K.-i. Yamamoto and O. Kunimori, Effect of stress on amophous bent cores 112 (1992) 278
Salz, W. and K.A. Hempel, A two-dimensional model describing the magnetic behaviour of textured steel sheet 112 (1992) 123
Salz, W. and K.A. Hempel, Magnetic properties of Staboperm 112 (1992) 242
Sasaki, T., see S. Takada 112 (1992) 239
Sasaki, T., S. Takada, F. Tokutake and T. Sato, Stress dependence of ac magnetic properties in thick amorphous ribbons 112 (1992) 356
Sashikata, T., see M. Enokizono 112 (1992) 81
Sassik, H., see C. Polak 112 (1992) 299
Sato, K., M. Kurosawa, B. Fukuda and T. Kan, Investigation of the domain refining effect in grain-oriented silicon steel 112 (1992) 183
Sato, K., see X.F. Bi 112 (1992) 189
Sato, T., see T. Sasaki 112 (1992) 356
Sato Turtelli, R., see S.P. Cruz 112 (1992) 36
Schaefer, M., see G. Dietzmann 112 (1992) 380
Schneider, J., see L. Kraus 112 (1992) 275
Schönhuber, P., H. Pfützner, Y. Simpson and G.S. Radley, Investigations of Bloch wall mobility in crystalline and amorphous soft magnetic material 112 (1992) 125
Schönhuber, P., A. Honda and A.J. Moses, Effect of lamination stacking on static domain structures in grain oriented 3% silicon iron 112 (1992) 156
Schönhuber, P., H. Pfützner, G. Harasko, T. Klinger and K. Futschik, Main domains and surface domains in amorphous soft magnetic materials 112 (1992) 349
Schoppa, A., see H. Huneus 112 (1992) 159
Seno, M., see T. Nakata 112 (1992) 174
Serfőző, G., see Cs.S. Daróczi 112 (1992) 367
Shirakawa, G., see M. Enokizono 112 (1992) 195
Shirkoohi, G.H. and A.J. Moses, Separation of hysteresis and eddy current components of iron loss in 0.5 mm low-silicon non-oriented steel by the 'distorted wave method' 112 (1992) 109
Shirkoohi, G.H., Magnetostrictive properties of non-oriented electrical steel under third-harmonic distorted flux conditions 112 (1992) 215
Shirkoohi, G.H. and M. Boukhalfa, Variation of magnetostrictive properties in grain-oriented and non-oriented electrical steel with texture under applied linear stress 112 (1992) 222
Shirkoohi, G.H., see E.S. Hamdi 112 (1992) 293
Shirkoohi, G.H., Prediction of improvement in efficiency of induction machines by replacing the core materials using FEM technique 112 (1992) 416
Shirkoohi, G.H., Finite element solution of single phase induction machine cores constructed from anisotropic non-oriented steels 112 (1992) 451
Shirkoohi, G.H. and J. Liu, Field computation of three phase three limb and three phase five limb transformer cores constructed from amorphous material 112 (1992) 457
Siebert, S., see H. Ahlers 112 (1992) 88
Siemko, A., see A. Ślawska-Waniewska 112 (1992) 281

Sievert, J., On measuring the magnetic properties of electrical sheet steel under rotational magnetization (*Invited paper*) 112 (1992) 50
Sievert, J., see H. Ahlers 112 (1992) 88
Sievert, J., H. Ahlers, M. Enokizono, S. Kauke, L. Rahf and J. Xu, The measurement of rotational power loss in electrical sheet steel using a vertical yoke system 112 (1992) 91
Sievert, J., see M. Enokizono 112 (1992) 195
Sievert, J.D., see M. Enokizono 112 (1992) 81
Simonen, S.A.E. and A. Basak, Use of NdBFe magnets in audio deck sliders 112 (1992) 429
Simpson, Y., see P. Schönhuber 112 (1992) 125
Skoumryev, V.H., see H.-Q. Guo 112 (1992) 287
Ślawska-Waniewska, A., A. Siemko and H.K. Lachowicz, Remarks on stress-anneal-induced anisotropy in metallic glasses 112 (1992) 281
Soiński, M., see W. Dubasiewicz 112 (1992) 61
Soiński, M., Phenomenon of anisotropy in Fe-based commercial soft magnetic materials 112 (1992) 251
Son, D., see H. Ahlers 112 (1992) 88
Sosnin, V.V., see V.A. Makarov 112 (1992) 290
Sovák, P., M. Konč and P. Kollár, The influence of annealing on the structural and magnetic properties of the amorphous $Co_{1-x}Cr_x$ thin films 112 (1992) 296
Stryczewska, H., see A. Nafalski 112 (1992) 325
Sugimoto, T., see S. Tanaka 112 (1992) 302
Suriñach, S., see I. Ibarrondo 112 (1992) 232
Švec, T., see P. Petrovič 112 (1992) 331
Švec, T., see M. Zatroch 112 (1992) 334
Świerczek, J., see J. Zbroszczyk 112 (1992) 313
Świerczek, J., see J. Zbroszczyk 112 (1992) 341
Szczyglowski, J., Amorphous ribbons in summation transformers in earth leakage circuit breakers 112 (1992) 423
Szymura, S., see J. Zbroszczyk 112 (1992) 313
Szymura, S., see J. Zbroszczyk 112 (1992) 341

Tahouri, B., see H. Iranmanesh 112 (1992) 99
Takada, S. and T. Sasaki, Relaxation phenomena in dynamic magnetization processes of electrical iron sheets 112 (1992) 239
Takada, S., see T. Sasaki 112 (1992) 356
Takahashi, N., see T. Nakata 112 (1992) 71
Takahashi, N., see T. Nakata 112 (1992) 174
Takahashi, N., see P. Olszewski 112 (1992) 447
Tanaka, S., Z. Diao, T. Sugimoto and K. Narita, Solid state amorphization of Fe- and Co-based alloys and their magnetic properties 112 (1992) 302
Tanaka, Y., see X.F. Bi 112 (1992) 189
Tarnóczi, T., see I. Pócsik 112 (1992) 347
Taylor, R., An on-line grain size measuring system for electrical steels production 112 (1992) 95
Todaka, T., see M. Enokizono 112 (1992) 81
Todaka, T., see H. Morino 112 (1992) 115
Todaka, T., see M. Enokizono 112 (1992) 203
Todaka, T., see M. Enokizono 112 (1992) 207
Tokutake, F., see T. Sasaki 112 (1992) 356

Ueda, S., see A. Saito 112 (1992) 41
Uematsu, K., see K. Hisatake 112 (1992) 387
Ueno, K., see Y. Okazaki 112 (1992) 192

Valkovic, Z. and A. Rezic, Improvement of transformer core magnetic properties using the step-lap design 112 (1992) 413
Varga, L.K., see É. Kisdi-Koszó 112 (1992) 39
Varga, L.K., É. Kisdi-Koszó and A. Lovas, T_c measurement with high heating rate (100 K/s) on binary Fe–B glassy alloys 112 (1992) 328
Varga, L.K., see I. Pócsik 112 (1992) 347
Vinai, F., see P. Allia 112 (1992) 14
Vinai, F., see S.P. Cruz 112 (1992) 36
Vlasák, G., see L. Kraus 112 (1992) 275
Vojtaník, P., J. Degro and D. Macko, Magnetic relaxation of structure and magnetic properties of amorphous $Co_{100-x}B_x$ alloys 112 (1992) 9
Vojtaník, P., O. Duša, J. Degro and M. Konč, AC permeability and other properties of annealed FeSiBCuNb amorphous alloy 112 (1992) 305

Wac-Włodarczyk, A., see A. Nafalski 112 (1992) 325
Waeckerlé, Th., B. Cornut, A. Lebouc and J.C. Perrier, Model of approach to saturation for textured steels 112 (1992) 454
Wakao, H., see K. Hisatake 112 (1992) 387
Walz, F., H.J. Blythe and H. Kronmüller, Small C– and N–vacancy complexes in irradiated α-Fe 112 (1992) 395
Wich, H., see H. Huneus 112 (1992) 159
Wieting, J., see R. Bürger 112 (1992) 212
Wiglasz, V., Power losses in grain-oriented electrical steels 112 (1992) 33
Wiglasz, V., Comparison of magnetic measurement on sheets and Epstein samples 112 (1992) 85
Wiglasz, V. and P. Pácl, Effect of laser scribing on power losses of conventional grain-oriented electrical steels 112 (1992) 186
Wiglasz, V., see P. Pácl 112 (1992) 225
Winckelbauer, C., see G. Pârvu 112 (1992) 169
Winter, I., see M.A. López-Quintela 112 (1992) 307
Wolf, M., see K.-H. Müller 112 (1992) 44
Wysłocki, B., see J. Zbroszczyk 112 (1992) 313
Wysłocki, B., see J. Zbroszczyk 112 (1992) 341

Xu, J., see J. Sievert 112 (1992) 91

Yamada, S., see K. Bessho 112 (1992) 419

Yamamoto, K.-i., see A. Saito 112 (1992) 17
Yamamoto, K.-i., see A. Saito 112 (1992) 41
Yamamoto, K.-i., see A. Saito 112 (1992) 229
Yamamoto, K.-i., see A. Saito 112 (1992) 278
Yamane, K., see A. Saito 112 (1992) 17
Yamashiro, Y., see J. Zbroszczyk 112 (1992) 341
Yashiki, H. and T. Kaneko, Effect of hot-band annealing on anisotropy of magnetic properties in low-Si semi-processed electrical steels 112 (1992) 200

Zaitcev, A.J., see V.A. Makarov 112 (1992) 290
Zatroch, M., see P. Petrovič 112 (1992) 331
Zatroch, M., P. Petrovič, I. Brovko, T. Švec and M. Konč, Influence of hydrogenation on the magnetic properties of amorphous Fe–Co–Zr alloys 112 (1992) 334
Závěta, K., see L. Kraus 112 (1992) 275
Závěta, K., see P. Butvin 112 (1992) 359
Zbroszczyk, J., W. Ciurzyńska, B. Wysłocki, S. Szymura, J. Świerczek, J. Rasek, M. Baran and K. Narita, Magnetic properties of amorphous ribbons after surface and heat treatment 112 (1992) 313
Zbroszczyk, J., W. Ciurzyńska, B. Wysłocki, S. Szymura, J. Świerczek, Y. Yamashiro and K. Narita, Effect of external tensile stresses on some magnetic properties of rapidly quenched ribbons 112 (1992) 341
Zemčík, T., see P. Petrovič 112 (1992) 331
Zenger, M., New developments in the field of soft magnetic ferrites (*Invited paper*) 112 (1992) 372
Zerah, G., see A. Berthault 112 (1992) 477
Zouzou, S., A. Kedous-Lebous and P. Brissonneau, Magnetic properties under unidirectional and rotational field 112 (1992) 106
Zsoldos, É., see É. Kisdi-Koszó 112 (1992) 39

journal of magnetism and magnetic materials

Subject index to volume 112

AC-remanence characteristic 112 (1992) 469
Aftereffect 112 (1992) 14, 195, 395, 239
Amorphous systems
– alloys 112 (1992) 174, 293, 253, 9, 39, 23, 125, 150, 328, 272, 457
– core 112 (1992) 278
– ferromagnets 112 (1992) 14
– magnetism 112 (1992) 347
– materials 112 (1992) 344, 349, 399
– metallic glasses 112 (1992) 299
– ribbons 112 (1992) 359
Anelastic polarization 112 (1992) 359
Anisotropy 112 (1992) 251, 200, 222, 341, 281, 451
Anisotropic material 112 (1992) 447
Annealing 112 (1992) 315

Barkhausen effect 112 (1992) 323
Bending stress 112 (1992) 269
B–H curve 112 (1992) 447
Bloch wall 112 (1992) 125
Building factor 112 (1992) 409, 406

Cluster 112 (1992) 39, 347
Coercivity 112 (1992) 341
Compensation method 112 (1992) 112
Computer experiments 112 (1992) 443
Computerized measurements 112 (1992) 120, 64
Core material 112 (1992) 416
Crystallographic structure 112 (1992) 296
Curie temperature 112 (1992) 328
– distribution 112 (1992) 347

Deformation 112 (1992) 47
Degradation 112 (1992) 293
Demagnetization 112 (1992) 207
Digital control 112 (1992) 103
Digital methods 112 (1992) 88
Disaccommodation 112 (1992) 387, 337
Disordered alloys 112 (1992) 389
Distorted flux 112 (1992) 215
Distortion factor 112 (1992) 203
Domains 112 (1992) 207
Domain
– analyses 112 (1992) 156, 349
– structure 112 (1992) 235, 296
– wall 112 (1992) 6, 146
Dynamic domains 112 (1992) 23

Eddy current 112 (1992) 463
Efficiency 112 (1992) 416
Elasticity 112 (1992) 317
Electrical
– motors 112 (1992) 179
– sheet 112 (1992) 91, 50
– steel 112 (1992) 85, 200, 225, 235, 150
Electromagnetics 112 (1992) 99
Electron irradiation 112 (1992) 395
Exchange 112 (1992) 449
ΔE effect 112 (1992) 323

Ferrites 112 (1992) 143
Ferro-resonance 112 (1992) 466
Fine powders 112 (1992) 307
Field
– rotational 112 (1992) 106
– unidirectional 112 (1992) 106
Finite element 112 (1992) 81, 451, 457
Flux
– concentration 112 (1992) 419
– density 112 (1992) 129
– distribution 112 (1992) 203, 399
– injection 112 (1992) 74

Glass film 112 (1992) 162
Grain
– measuring 112 (1992) 95
– orientation 112 (1992) 6, 33, 123, 225, 165
– size effect 112 (1992) 258

HGO electrical steel 112 (1992) 162
High heating rate 112 (1992) 328
High silicon content 112 (1992) 232
Hot-band annealing 112 (1992) 200
Hysteresis 112 (1992) 67
– loop 112 (1992) 1, 299

IEC standard 112 (1992) 71
Image processing 112 (1992) 58
Induction machine 112 (1992) 451
Internal friction 112 (1992) 389
Irreversible magnetization 112 (1992) 41

Kerr effect 112 (1992) 125

Lamination 112 (1992) 129
Losses 112 (1992) 6, 235, 146, 253, 413
– eddy current 112 (1992) 109
– hysteresis 112 (1992) 109
– iron 112 (1992) 150, 435
– machine 112 (1992) 416
– measurement 112 (1992) 88
– power 112 (1992) 20, 33, 132, 284, 380, 460
– rotational 112 (1992) 91
– tester 112 (1992) 81

Magnetic anisotropy 112 (1992) 33, 275, 359
Magnetic annealing 112 (1992) 29
Magnetic characteristics 112 (1992) 115, 174, 447
Magnetic disaccommodation 112 (1992) 36
Magnetic domains 112 (1992) 58, 67, 269
Magnetic elastomer 112 (1992) 473
Magnetic field 112 (1992) 317, 253
Magnetic losses 112 (1992) 272
Magnetic material 112 (1992) 135, 251
Magnetic measurement 112 (1992) 77, 81, 74, 85, 99, 135
Magnetic properties 112 (1992) 39, 85, 189, 242, 302, 356
Magnetic sensors 112 (1992) 64
Magnetization 112 (1992) 454
– curve 112 (1992) 71
– process 112 (1992) 11, 33, 146, 284
– rotational 112 (1992) 50
Magnetomechanical coupling 112 (1992) 310, 315, 320
Magnetostriction 112 (1992) 17, 36, 139, 143, 215, 222, 299, 344
Magnetothermal treatment 112 (1992) 320
Metallic glasses 112 (1992) 88, 275, 281, 317
Microcomputer measurement system 112 (1992) 460
Micromagnetism 112 (1992) 1
Microsegregation 112 (1992) 245
Microstructure 112 (1992) 1
Model calculation 112 (1992) 454
Motor
– linear 112 (1992) 426, 429
– dc 112 (1992) 426, 429
Mössbauer effect 112 (1992) 290

Nanocrystalline alloys 112 (1992) 26, 275
Nanocrystalline materials 112 (1992) 290, 258
Neutron irradiation 112 (1992) 395
Noncollinear magnets 112 (1992) 449
Nonorientation 112 (1992) 215, 225
Nonoriented steel 112 (1992) 159

Permalloy microparticles 112 (1992) 477
Permanent magnet 112 (1992) 429
Permeability 112 (1992) 477, 159, 253
Phase composition 112 (1992) 290
Phasor equation 112 (1992) 466
Piezomagnetic glass 112 (1992) 310, 315, 323, 320
Preisach Model 112 (1992) 443
Printer head 112 (1992) 463

Rapid quenching 112 (1992) 232
Rayleigh law 112 (1992) 11
Relaxation 112 (1992) 389
Resonance frequency 112 (1992) 477
Reversible magnetization 112 (1992) 41
Ring specimen 112 (1992) 71

Saturation magnetostriction 112 (1992) 258
Secondary grain growth 112 (1992) 162
Semi-processed machines 112 (1992) 179
Silicon–iron alloys 112 (1992) 189, 245, 109, 129, 132, 284, 409, 399, 460
Silicon-steel 112 (1992) 207
Silicon-steel strip 112 (1992) 169
Soft magnetic materials 112 (1992) 299, 380
Spray forming 112 (1992) 177
Stabilization field 112 (1992) 337
Stator cores 112 (1992) 435
Stresses 112 (1992) 17, 23, 41, 143, 341, 222, 435
Stress effect 112 (1992) 229, 356, 278
Strip 112 (1992) 177
Structural relaxation 112 (1992) 9, 337
Superconducting transformer 112 (1992) 174

Tableau method 112 (1992) 466
Tension winding 112 (1992) 278
Tertiary recrystallization 112 (1992) 229
Texture 112 (1992) 29, 123, 159, 165
Texture goss 112 (1992) 229
Textured NiFe 112 (1992) 106
Textured steel 112 (1992) 242, 454
Thermal treatment 112 (1992) 245
Thermoannealing 112 (1992) 47
Thick amorphous ribbon 112 (1992) 356
Thickness gradients 112 (1992) 165
Transducer 112 (1992) 269
Transformers 112 (1992) 253, 409
Transformer core 112 (1992) 406, 399, 457

Variational principle 112 (1992) 463
Vibration 112 (1992) 293
Villary reversal 112 (1992) 17
Viscosity field 112 (1992) 14

Wound core 112 (1992) 203

Yoke symmetry 112 (1992) 103